

# GANBANYOKU-UNIT

About the ganbanyoku unit

JAPAN






# Single 1721

Single bed style

## Reference Specification


|     |                    |                      |
|-----|--------------------|----------------------|
| 1.  | Main ore           | : Tenshoh seki       |
| 2.  | Frame ore          | : Granite            |
| 3.  | Heating set        | : 50/60Hz 420W       |
| 4.  | Warming machine    | : 50/60Hz 2.6kw      |
| 5.  | Wall               | : Specular panel     |
| 6.  | Floor              | : Thermo floor       |
| 7.  | Ceiling            | : Flat ceiling       |
| 8.  | Lighting equipment | : Wall luminaire     |
| 9.  | Door               | : hinged door        |
| 10. | Towel rail         | : Stainless steel    |
| 11. | Rack               | : Stainless steel    |
| 12. | Faucet             | : Combination faucet |
| 13. | Mirror             | : H1000×W300         |

## Variation



## Standard size S1721

170 cm



# Twin 2521


Twin bed style

## Reference Specification



|     |                    |                      |
|-----|--------------------|----------------------|
| 1.  | Main ore           | : Tenshoh seki       |
| 2.  | Frame ore          | : Granite            |
| 3.  | Heating set        | : 50/60Hz 890W       |
| 4.  | Warming machine    | : 50/60Hz 2.6kw      |
| 5.  | Wall               | : Specular panel     |
| 6.  | Floor              | : Thermo floor       |
| 7.  | Ceiling            | : Flat ceiling       |
| 8.  | Lighting equipment | : Wall luminaire     |
| 9.  | Door               | : hinged door        |
| 10. | Towel rail         | : Stainless steel    |
| 11. | Rack               | : Stainless steel    |
| 12. | Faucet             | : Combination faucet |
| 13. | Mirror             | : H1000×W300         |

Standard size T2521


250 cm



Variation








# Double 1627

Double bed style


## Reference Specification

|     |                    |                      |
|-----|--------------------|----------------------|
| 1.  | Main ore           | : Tenshoh seki       |
| 2.  | Frame ore          | : Granite            |
| 3.  | Heating set        | : 50/60Hz 420W       |
| 4.  | Warming machine    | : 50/60Hz 2.6kw      |
| 5.  | Wall               | : Specular panel     |
| 6.  | Floor              | : Thermo floor       |
| 7.  | Ceiling            | : Flat ceiling       |
| 8.  | Lighting equipment | : Wall luminaire     |
| 9.  | Door               | : hinged door        |
| 10. | Towel rail         | : Stainless steel    |
| 11. | Rack               | : Stainless steel    |
| 12. | Faucet             | : Combination faucet |
| 13. | Mirror             | : H1000×W300         |

## Variation



Standard size D1627  
1600 cm




# Flat 1322

Flat bed style


## Reference Specification

|     |                    |                      |
|-----|--------------------|----------------------|
| 1.  | Main ore           | : Tenshoh seki       |
| 2.  | Heating set        | : 50/60Hz 810W       |
| 3.  | Warming machine    | : 50/60Hz 2.6kw      |
| 4.  | Wall               | : Specular panel     |
| 5.  | Ceiling            | : Flat ceiling       |
| 6.  | Lighting equipment | : Wall luminaire     |
| 7.  | Door               | : hinged door        |
| 8.  | Towel rail         | : Stainless steel    |
| 9.  | Rack               | : Stainless steel    |
| 10. | Faucet             | : Combination faucet |
| 11. | Mirror             | : H1000×W300         |

Standard size F1322



Variation



Flat1322-1.R

GANBANYOKU UNIT

Vol.10



**株式会社 グラニテック**

**GRANITEC Ltd.**

7-12-501 Hiemachi Hakata-ku

Fukuoka-city 812-0014 Japan

TEL. 092-433-0255

FAX. 050-3737-2816

Email. [ganban@granitec.co.jp](mailto:ganban@granitec.co.jp)

HP. <https://www.granitec.co.jp/>